




# U.S. TORCHES

FOR U.S. JOBS



## V-Style HAND CUTTING Torches

- CNC Precision machined forged brass head and body
- Stainless steel oxygen cutting lever
- Heavy duty ribbed ergonomic handle
- Internal heavy duty universal gas mixer use with all fuel gases
- Stainless ball point valves with teflon® packing promotes durability and positive SHUT-OFF
- Nickel alloy gas tubes for maximum strength and heat dissipation



830-21      830-36      830-48



## H-Style HAND CUTTING Torches

- CNC Precision machined forged brass head and body
- Contoured Forged brass cutting lever
- Stainless ball point valves with teflon® packing promotes durability and positive SHUT-OFF
- Rigid triangular three tube silver brazed construction
- Pushrod type cutting oxygen valve designed for ease of service and repair
- Injector head mixer:  
Fuel gas (40AF, 40F, 40BF Series)  
Acetylene (40A, 40, 40B Series)  
Natural Gas (40N, 40AN Series)




40AF-18      40AF-36      40AF-48      40AF-60



## A-Style HAND CUTTING Torches

- CNC Precision machined forged brass head and body
- Contoured Forged brass cutting lever
- Heavy duty ribbed brass handle
- Stainless ball point valves with teflon® packing
- Rigid triangular three tube silver brazed vented construction
- Pushrod type cutting oxygen valve designed for ease of service and repair




50A-21      50A-36      50A-48      50A-60

SPECIAL LENGTH *more than 5 ft* HAND CUTTING TORCHES AND MACHINE CUTTING TORCHES are available on demand *Call Customer Service at 800.323.2111*


# V-Style CUTTING ATTACHMENTS

HEAD ANGLES




780A

1 SERIES TIP




780

1 SERIES TIP




780B

1 SERIES TIP




3-780A

3 SERIES TIP




3-780

3 SERIES TIP



CA350

3 SERIES TIP



CA350B

3 SERIES TIP

COMPATIBLE WELDING HANDLES

WH360  
WH360L  
72L9  
72L11

WH360  
WH360L  
72L9  
72L11

WH360  
WH360L  
72L9  
72L11

WH360  
WH360L  
72L9  
72L11

WH360  
WH360L  
72L9  
72L11

WH350

WH350

COMPATIBLE CUTTING ATTACHMENTS

780A (90°)  
3-780A (90°)  
780 (75°)  
3-780 (75°)  
780B (180°)

780A (90°)  
3-780A (90°)  
780 (75°)  
3-780 (75°)  
780B (180°)

780A (90°)  
3-780A (90°)  
780 (75°)  
3-780 (75°)  
780B (180°)


780A (90°)  
3-780A (90°)  
780 (75°)  
3-780 (75°)  
780B (180°)

CA350 (90°)  
CA350B (90°)  
F15 ADAPTOR

# WELDING HANDLES V-Style



WH360



WH360L



72L9\*\*



72L11\*\*



WH350




The new! Uniweld F15 Adaptor lets you attach the popular Cap'n Hook® Tip to a WH350 V-Style welding handle. This handy weld/braze accessory allows you to easily adapt your toolbox full of Type17, Cap'n Hook, Type28 and Tuning Fork™ tips to fit on the larger WH350 V-style welding handle. It is micro machined out of solid brass and will stand up to years of on-the-job use.

\*\* HAVE TWO SILVER BRAZED TUBES INSIDE A VENTED BRASS HANDLE


# H-Style CUTTING ATTACHMENTS

HEAD ANGLES




CA43A

H SERIES TIP



CA43

H SERIES TIP



CA79A

H SERIES TIP



CA79

H SERIES TIP

COMPATIBLE WELDING HANDLES

43L9  
w/o Mixer  
43L9E  
with UM43

43L9  
w/o Mixer  
43L9E  
with UM43

WH79-2  
w/o Mixer  
WH79  
with UM79

WH79-2  
w/o Mixer  
WH79  
with UM79

COMPATIBLE CUTTING ATTACHMENTS

CA43A (90°)  
CA43 (70°)

CA79A (90°)  
CA79 (70°)

CA43A (90°)  
CA43 (70°)

CA79A (90°)  
CA79 (70°)

# WELDING HANDLES H-Style



43L9 w/o Mixer



WH79-2 w/o Mixer



43L9E w/UM43 Mixer




WH79 w/UM79 Mixer

ALL H-STYLE ELBOWS FIT BOTH UM43 AND UM79 MIXERS

NOTE: 43 SERIES HANDLES HAVE LARGER FLOW VOLUMES THAN 79 SERIES


# A-Style CUTTING ATTACHMENTS

HEAD ANGLES



CA98A

A STYLE TIP MIX




CA98

A STYLE TIP MIX



CA370

A STYLE TIP MIX



CA371

A STYLE TIP MIX

COMPATIBLE WELDING HANDLES

98L9  
98L11

98L9  
98L11

WH370

WH370

COMPATIBLE CUTTING ATTACHMENTS

CA98A (90°)  
CA98 (75°)

CA98A (90°)  
CA98 (75°)

CA370 (90°)  
CA371 (75°)

# WELDING HANDLES A-Style



98L9\*\*



98L11\*\*




WH370

\*\* HAS TWO SILVER BRAZED TUBES INSIDE A VENTED BRASS HANDLE

# V-Style CUTTING ATTACHMENTS WELDING HANDLES V-Style


HEAD ANGLES



CA250

COMPATIBLE WELDING HANDLES  
WH250  
WH550  
71

3 SERIES TIP



CA550

COMPATIBLE WELDING HANDLES  
WH550  
WH250  
71

5 SERIES TIP



CA100\*\*

COMPATIBLE WELDING HANDLES  
WH550  
WH250  
71

CT100 SERIES TIP MIX

COMPATIBLE CUTTING ATTACHMENTS

CA250 (90°)  
CA550 (90°)  
CA100 (90°)



WH250

CA250 (90°)  
CA550 (90°)  
CA100 (90°)



WH550

CA250 (90°)  
CA550 (90°)  
CA100 (90°)



71\*\*

\*\* HAVE TWO SILVER BRAZED TUBES INSIDE A VENTED BRASS HANDLE

## V-Style MACHINE CUTTING Torches

68 Series Multi-gas torch with multi-gas mixer (Acetylene or Fuel Gas) and quick opening Oxygen cutting lever.

- Two hose "B" 9/16" connection
  - Optional solid brass rack with standard 32 pitch (10.12 teeth per inch)
  - Cutting capacity: 8" with proper tip
- Available in 6" and 10" barrel lengths  
67 replacement racks: 6", 10" AND 18" available on request.



68

## H-Style MACHINE CUTTING Torches

63 Series Multi-gas torch with multi-gas mixer (Acetylene or Fuel Gas) and quick opening Oxygen cutting lever.

- Two hose "B" 9/16" connection
  - Optional solid brass rack with standard 32 pitch (10.12 teeth per inch)
  - Cutting capacity: 8" with proper tip
- Available in 6" and 10" barrel lengths



63

## A-Style MACHINE CUTTING Torches

64 Series for most fuel gases\*\*

- Two hose with cam action oxygen cutting valve. Available in 6" or 10" barrel lengths. Cutting capacity 8" with proper tip
- Three hose with quick opening oxygen valve. Available in 6", 10" or 18" barrel lengths. Cutting capacity 15" with proper tip
- Three hose valveless. Available in 6" barrel length Cutting capacity 15" with proper tip



64-TRL

## FLASHBACK ARRESTORS

Color Coded for Fuel; Oxygen



RFAB

TFABNF

TFAA

TOO MANY TIPS TO LIST!

Cutting Tips



OVER 515 CUTTING TIPS

## FILTERED

Flashback Arrestors	TORCH			REGULATOR		
	Part #	UPC #	Single	Part #	UPC #	Single
Single Oxygen	TFA100	04056	9/16" - 18"B"	RFA100	10206	9/16" - 18"B"
Single Fuel	TFA101	04057	9/16" - 18"B"	RFA101	10207	9/16" - 18"B"
Set of 2 - 1 Oxygen 1 Fuel	TFAB	04055	9/16" - 18"B"	RFAB	10205	9/16" - 18"B"

## NON-FILTERED

Flashback Arrestors	TORCH			REGULATOR		
	Part #	UPC #	Single	Part #	UPC #	Single
Single Oxygen	TFA100NF	04075	9/16" - 18"B"	RFA100NF	10217	9/16" - 18"B"
Single Fuel	TFA101NF	04076	9/16" - 18"B"	RFA101NF	10218	9/16" - 18"B"
Set of 2 - 1 Oxygen 1 Fuel	TFABNF	04077	9/16" - 18"B"	RFABNF	10219	9/16" - 18"B"
Single Oxygen	TFAM100	04061	3/8" - 24"A"	RFAM100	10211	3/8" - 24"A"
Single Fuel	TFAM101	04062	3/8" - 24"A"	RFAM101	10212	3/8" - 24"A"
Set of 2 - 1 Oxygen 1 Fuel	TFAA	04060	3/8" - 24"A"	RFAA	10210	3/8" - 24"A"

## SEE ALL OF OUR TIPS ONLINE



Specialty Tips



OVER 12 SPECIALTY TIPS



Weld, Braze & Heat Tips



OVER 315 WELD, BRAZE & HEAT TIPS



UNIWELD PRODUCTS, INC. Fort Lauderdale, FL 33312 U.S.A.  
800.323.2111 • info@uniweld.com www.uniweld.com



FY0069 0414